



# THE LIMITED WARRANTY

10 YEAR WRITTEN WARRANTY FOR NEW HOMES



## Warranty Confirmation

Your validated Warranty consists of your Application for Warranty, the Limited Warranty book, and your Warranty Confirmation. You can confirm your warranty has been validated by HOME, and obtain your Warranty Confirmation, AFTER 60 days from your closing at [confirm.homeoftexas.com](http://confirm.homeoftexas.com). If you do not have access to the Internet, please contact HOME to obtain your Limited Warranty book and Warranty Confirmation.

## SAMPLE WARRANTY

The HOME Limited Warranty displayed in this book is a SAMPLE only. The HOME Limited Warranty applicable to your home may differ from the one displayed here. You must consult your validated HOME Limited Warranty book for the terms of coverage that apply to your home.

**This Limited Warranty does not cover consequential or incidental damages. The Warrantor's total aggregate liability of this Limited Warranty is limited to the Final Sales Price listed on the Application For Warranty form.**

**The Builder makes no housing merchant implied warranty or any other warranties, express or implied, in connection with the attached sales contract or the warranted Home, and all such warranties are excluded, except as expressly provided in this Limited Warranty. There are no warranties which extend beyond the face of this Limited Warranty.**

**Some regulating agencies do not allow the exclusion or limitation of incidental or consequential damages by the Builder so all of the limitations or exclusions of this Limited Warranty may not apply to you.**

For your Limited Warranty to be in effect, you should receive the following documentation:  
Limited Warranty #8319 • Application For Warranty form #8316 (Refer to I.B.3 for applicability) • Warranty Confirmation



## IMPORTANT NOTICE

To obtain information or make a complaint:

You may call the company's toll-free telephone number for information or to make a complaint at: (800) 445-8173.

You may also write to Warranty Underwriters Insurance Company at:

WUIC  
5300 Derry Street  
Harrisburg, PA 17111

HOME of Texas (ADMINISTRATOR)  
5300 Derry Street  
Harrisburg, PA 17111

OR

You may contact the Texas Department of Insurance to obtain information on companies, coverages, rights or complaints at: (800) 252-3439

You may contact the Texas Department of Insurance:

P.O. Box 149104  
Austin, TX 78714-9104  
Fax # (512) 475-1771  
Web: <http://www.tdi-state.tx.us>  
Email: [ConsumerProtection@tdi.state.tx.us](mailto:ConsumerProtection@tdi.state.tx.us)

**PREMIUM OR CLAIM DISPUTES:** Should you have a dispute concerning your premium or about a claim, you should contact the agent or the company first. If the dispute is not resolved, you may contact the Texas Department of Insurance.

**ATTACH THIS NOTICE TO YOUR POLICY:** This notice is for information only and does not become a part or condition of the attached document.

# HOME OF TEXAS



Dear Home Buyer,

Congratulations on the purchase of your new Home. This is probably one of the largest, most important investments you've ever made and we wish you many years of enjoyment. You've chosen a Home built by a leading Builder which includes the HOME of Texas Limited Warranty, assurance that your investment is well protected. This book explains the Limited Warranty in its entirety, and we encourage you to take time to READ IT CAREFULLY.

This Limited Warranty provides you with protection in accordance with this warranty book for ten full years of Home ownership. During the first two years, your Builder is responsible for specified warranty obligations. In the unlikely event your Builder is unable or unwilling to perform, the Warranty is provided subject to the conditions, terms and exclusions listed. For the remaining eight years, your Warranty applies to Major Structural Defects as defined in this book.

This is not a warranty service contract, but a written ten year limited warranty which your Builder has elected to provide with your Home.

Take time now to read this book. Familiarize yourself with the Warranty and its limitations. Contact your Builder regarding specific construction standards and how they apply to your Home.

Again, congratulations and enjoy your new Home!

Very truly yours,  
HOME OF TEXAS

## TABLE OF CONTENTS

Section I. Definitions .....	1
Section II. The Limited Warranty .....	3
Section III. Warranty Standards.....	7
Section IV. Requesting Warranty Performance ....	20
Section V. Active Soils Guidelines.....	23



HOME OF TEXAS  
5300 Derry Street, Harrisburg, PA 17111  
717-561-4480

## DEFINITIONS

### SECTION I.

#### A. Introduction

To help you better understand your Limited Warranty, refer to the following list of definitions which apply in this book.

#### B. Definitions

##### 1. Administrator

HOME of Texas (HOME) is the Administrator of this Limited Warranty. HOME is neither Warrantor nor Insurer.



##### 2. Appliances and Items of Equipment, including Attachments and Appurtenances

Water heaters, pumps, stoves, refrigerators, compactors, garbage disposals, ranges, dishwashers, washers and dryers, bathtubs, sinks, commodes, faucets, light fixtures, switches, outlets, thermostats, furnaces and oil tanks, humidifiers, oil purifiers, air conditioning materials, in-house sprinkler systems and similar items.

##### 3. Application For Warranty form

The form signed at closing by you, the Purchaser, and your Builder which identifies the location, the Effective Date Of Warranty and the Final Sales Price of the enrolled Home. If the Builder is participating in the HOME electronic enrollment process, the Application for Warranty form is eliminated. This information will be included on your Warranty Confirmation.

##### 4. Arbitrator

The person appointed by the independent arbitration service to resolve an Unresolved Warranty Issue.

##### 5. Builder

The person, corporation, partnership or other entity which participates in the HOME Limited Warranty Program and has obtained this Limited Warranty for you.

##### 6. Consequential Damages

All consequential damages including, but not limited to, damage to the Home that is caused by a warranted Defect but is not itself a warranted Defect and costs of shelter, transportation, food, moving, storage or other incidental expenses related to relocation during repairs.

##### 7. Cooling, Ventilating and Heating Systems

All ductwork, refrigerant lines, steam and water pipes, registers, convectors and dampers.

##### 8. Defect

A condition of any item warranted by this Limited Warranty which exceeds the allowable tolerance specified in this Limited Warranty. Failure to complete construction of the Home or any portion of the Home, in whole or in part, is not considered a Defect.

##### 9. Effective Date Of Warranty

The date coverage begins as specified on the Application For Warranty form or on your Warranty Confirmation if your Builder is participating in the electronic enrollment process.

##### 10. Electrical Systems

All wiring, electrical boxes and connections up to the house side of the meter base.

##### 11. HOME of Texas (HOME)

See Administrator.

##### 12. Home

The single family dwelling, identified on the Application for Warranty form, which may be a townhome or duplex.

##### 13. Insurer

Warranty Underwriters Insurance Company (WUIC). Located at 5300 Derry Street, Harrisburg, PA 17111, phone: 800-445-8173. (*Refer to Section IV. for instructions on requesting warranty performance.*)

##### 14. Limited Warranty

The terms and conditions contained in this book including any applicable addenda.

##### 15. Major Structural Defects (MSD)

All of the following conditions must be met to constitute a Major Structural Defect:

- a. Actual physical damage to one or more of the following specified load-bearing components of the Home;

- b. Causing the failure of the specific major structural components; and
- c. Which affects its load-bearing function to the degree that it materially affects the physical safety of the occupants of the Home.

Load-bearing components of the Home deemed to have MSD potential:

- (1) roof framing members (rafters and trusses);
- (2) floor framing members (joists and trusses);
- (3) bearing walls;
- (4) columns;
- (5) lintels (other than lintels supporting veneers);
- (6) girders;
- (7) load-bearing beams; and
- (8) foundation systems and footings.

Examples of non-load-bearing elements deemed not to have Major Structural Defect potential:

- (1) non-load-bearing partitions and walls;
- (2) wall tile or paper, etc.;
- (3) plaster, laths or drywall;
- (4) flooring and subflooring material;
- (5) brick, stucco, stone, veneer, or exterior wall sheathing;
- (6) any type of exterior siding;
- (7) roof shingles, sheathing and tar paper;
- (8) Heating, Cooling, Ventilating, Plumbing, Electrical and mechanical Systems;
- (9) Appliances, fixtures or Items of Equipment;
- (10) doors, windows, trim, cabinets, hardware, insulation, paint and stains; and
- (11) drainage systems located within or outside the Home.

**16. Owner**

See Purchaser.

**17. Plumbing Systems**

All pipes located within the Home and their fittings, including gas supply lines and vent pipes.

**18. Purchaser**

You. The Purchaser includes the first buyer of the warranted Home and any and all subsequent Owners who take title within the warranty period.

**19. Residence**

See Home.

**20. Sewage Disposal System (Private or Public)**

This system includes, but is not limited to, all waste, drainage, sewer pipes and lines, cleanouts, tanks, pumps, drainfields and seepage pits, outside and beyond the exterior wall of the Home.

**21. Structurally Attached**

An integral part of the Home being structurally supported by footings, block walls or reinforced concrete and connected to the foundation of the Home.

**22. Unresolved Warranty Issue**

All requests for warranty performance, demands, disputes, controversies and differences that may arise between the parties to this Limited Warranty that cannot be resolved among the parties. An Unresolved Warranty Issue may be a disagreement regarding:

- a. the coverages in this Limited Warranty;
- b. an action performed or to be performed by any party pursuant to this Limited Warranty;
- c. the cost to repair or replace any item covered by this Limited Warranty.

**23. Warrantor**

Your Builder in Years 1 and 2; the Insurer in Years 3 through 10 and in Years 1 and 2 if your Builder defaults.

**24. Warranty Confirmation**

The document you obtain by going to [confirm.homeoftexas.com](http://confirm.homeoftexas.com) (or by contacting HOME if you do not have access to the internet). It includes your Validation Number, Effective Date of Warranty, Term of Coverage and any applicable Addenda.

**25. Water Supply System (Private or Public)**

This system includes, but is not limited to, all supply and distribution pipes, fittings, valves, pumps and wells, outside the exterior wall of the Home, which supply water to the Home.

SECTION  
I.

## THE LIMITED WARRANTY

### SECTION II.

#### A. Introduction to the Limited Warranty

1. This book provides specific details, conditions and limitations of the Limited Warranty including procedures for requesting warranty performance and for binding arbitration, in accordance with the procedures of the Federal Arbitration Act. Additional information may be received by calling HOME at (717) 561-4480. Read this document in its entirety to understand the protection it affords, the exclusions applicable to it, the Warranty Standards which determine its interpretations and operation and your responsibilities.
2. This is NOT an insurance policy, a maintenance agreement or a service contract. It is an explanation of what you, the Purchaser, can expect from this Limited Warranty.
3. Appliances and Equipment included in the Home are not warranted under this Limited Warranty, but may be covered by separate warranties provided by the manufacturer or supplier. These warranties are passed on to you by your Builder at closing and are separate from this Limited Warranty.
4. You are responsible for maintenance of your new Home. General and preventative maintenance are required to prolong the life of your new Home.
5. This Limited Warranty is **automatically transferred** to subsequent Owners during the ten-year term of this Limited Warranty, except in the case of a foreclosure that voids the warranty as provided in Section II.A.6.
6. This Limited Warranty becomes void and all obligations on the part of Warrantor cease as of the date an Owner vacates the Home due to foreclosure proceedings.

#### B. The Limited Warranty

1. **Actions taken to cure Defects will NOT extend the periods of specified coverages in this Limited Warranty.**
2. Only warranted items which are specifically designated in the Warranty Standards are covered by this Limited Warranty.
3. The Warrantor has the choice to repair, replace or pay the reasonable cost to repair or replace warranted items which do not meet the Warranty Standards and are not excluded in the Limited Warranty.
4. If a warranted MSD occurs during the appropri-

ate coverage period, and is reported as required in **Section IV**, the Warrantor will repair, replace or pay you the reasonable cost to repair or replace the warranted MSD, limited to actions necessary to restore the MSD to its load-bearing capacity.

#### C. Warranty Coverage

1. **One Year Coverage:** Your Builder warrants that for a period of one (1) year after the Effective Date Of Warranty, warranted items will function and operate as presented in the Warranty Standards of Year 1, **Section III.A**. Coverage is ONLY available where specific Standards and Actions are represented in this Limited Warranty.
2. **Two Year Coverage:** Your Builder warrants that for a period of two (2) years from the Effective Date Of Warranty, specified portions of the Heating, Cooling, Ventilating, Electrical and Plumbing Systems, as defined in this Limited Warranty, will function and operate as presented in the Warranty Standards of Years 1 and 2 only, **Section III.B**.
3. **Ten Year Coverage:** Major Structural Defects (MSD) are warranted for ten (10) years from the Effective Date Of Warranty.  
Your Builder is the Warrantor during Years 1 and 2 of this Limited Warranty and the Insurer is the Warrantor in Years 3 through 10.

#### D. Conditions

1. This Limited Warranty provides coverage only in excess of coverage provided by other warranties or insurance, whether collectible or not.
2. This Limited Warranty is binding on the Builder and you and your heirs, executors, administrators, successors and assigns.
3. This Limited Warranty shall be interpreted and enforced in accordance with the laws of the State of Texas.
4. This Limited Warranty is separate and apart from your contract and/or other sales agreements with your Builder. It cannot be affected, altered or amended in any way by any other agreement which you may have.
5. This Limited Warranty cannot be modified, altered or amended in any way except by a formal written instrument signed by you, your Builder and the Administrator.
6. If any provision of this Limited Warranty is determined by a court of competent jurisdiction

to be unenforceable, that determination will not affect the validity of the remaining provisions.

7. All notices required under this Limited Warranty must be in writing and sent by email or certified mail, return receipt requested. If you send your written notice by email, your written notice must be sent to [warranty.resolution@homeoftexas.com](mailto:warranty.resolution@homeoftexas.com). The written notice will not be considered received without a valid confirmation of receipt number. If you do not receive a confirmation of receipt number within 48 hours of emailing your written notice, contact HOME by calling (717) 561-4480 and request to speak with the Warranty Resolution Department's Customer Service. If sending your written notice by certified mail, return receipt requested, it must be postage prepaid, to the recipient's address shown on the Application for Warranty form, or to whatever address the recipient may designate in writing.
8. If actions by the Warrantor on any obligations under this Limited Warranty are delayed by an event beyond its control, such performance will be excused until the delaying effects of the event are remedied. Such events include, but are not limited to, acts of God, acts of the common enemy, war, riot, civil commotion or sovereign conduct, or acts or omissions by you or any other person not a party of this Limited Warranty.
9. If your Builder fails to complete any part of the Home that is reasonably foreseeable to cause damage to the Home, then it is your responsibility to complete such parts of the Home to avoid the damage. If you fail to complete the work, then any resulting damage is not covered under this Limited Warranty. The warranty period for any item completed after the Effective Date of Warranty shall be deemed to have commenced on the Effective Date of Warranty.
10. Costs incurred for unauthorized repairs to warranted items are not reimbursable. Written authorization prior to incurring expenses must be obtained from the Administrator.
11. Whenever appropriate, the use of one gender includes all genders and the use of the singular includes the plural.
12. Under this Limited Warranty, the Warrantor is not responsible for exact color, texture or finish matches in situations where materials are replaced or repaired, or for areas repainted or when original materials are discontinued.
13. Your Builder must assign to you all manufacturers' warranties on products included in the Final

Sales Price of your Home. Neither the Insurer nor the Administrator shall be liable for your Builder's failure to do so.

14. You are responsible for establishing a written, final walk-through inspection list of items in need of service prior to occupancy or closing, whichever is first. This list must be signed and dated by you and your Builder. Keep a copy for your records.

### E. Exclusions

**The following are NOT covered under this Limited Warranty:**

1. Loss or damage:
  - a. to land.
  - b. to the Home, persons or property directly or indirectly caused by insects, birds, vermin, rodents, or wild or domestic animals.
  - c. which arises while the Home is used primarily for non-residential purposes.
  - d. which is covered by any other insurance or for which compensation is granted by legislation.
  - e. resulting directly or indirectly from flood, surface water, waves, tidal water, overflow of a body of water, or spray from any of these (whether or not driven by wind), water which backs up from sewers or drains, changes in the water table which were not reasonably foreseeable, water below the surface of the ground (including water which exerts pressure on or seeps or leaks through a building, sidewalk, driveway, foundation, swimming pool, or other structure), wetlands, springs or aquifers.
  - f. from normal deterioration or wear and tear.
  - g. caused by material or work supplied by anyone other than your Builder or its employees, agents or subcontractors.



## SECTION II.



## THE LIMITED WARRANTY



### SECTION II.

- h. after Year 1, to, resulting from, or made worse by all components of structurally attached decks, balconies, patios, porches, stoops, porch roofs and porticos.
  - i. after Year 1, to, resulting from, or made worse by elements of the Home which are constructed separate from foundation walls or other structural elements of the Home such as, but not limited to, chimneys and concrete floors of basements and attached garages.
  - j. to wiring, to and between communication devices from the source of power, whether or not connected to the interior wiring system of the Home. Such devices shall include, but not be limited to, telephone systems, television cable systems, intercom systems, computer systems and security systems. Sources of power shall include, but not be limited to, service entrance conductors, switches, outlets, receptacles and junction boxes.
  - k. to, or caused by, recreational facilities; driveways; walkways; patios, porches and stoops not structurally attached; decks and balconies which are not bolted to or cantilevered from the main structure of the Home; boundary and/or retaining walls; bulkheads; fences; landscaping, sodding, seeding, shrubs, trees and plantings; subsurface drainage systems (other than footer drains); lawn sprinkler systems; off-site improvements, including streets, sidewalks, adjacent property and the like; or any other improvements not part of the Home itself.
    - l. caused by any item listed as an additional exclusion on the Application for Warranty form.
2. Loss or damage resulting from, or made worse by:
- a. changes in the grading of the property surrounding the Home by anyone except your Builder or its employees, agents or subcontractors.
  - b. changes in grading caused by erosion.
  - c. modifications or additions to the Home, or property under or around the Home, made after the Effective Date Of Warranty (other than changes made in order to meet the obligations of this Limited Warranty).
  - d. intrusion of water into crawl spaces.
  - e. the weight and/or performance of any type of waterbed or any other furnishing which exceeds the load-bearing design of the Home.
- f. the presence or consequence of unacceptable levels of radon, formaldehyde, carcinogenic substances or other pollutants and contaminants; or the presence of hazardous or toxic materials resulting in uninhabitability or health risk within the Home.
  - g. acts or omissions by you, your agents, employees, licensees, invitees; accidents, riots, civil commotion, nuclear hazards, acts of God or nature, fire, explosion, blasting, smoke, drought, water escape, windstorms, tropical storms, hurricanes, hail, lightning, ice, snow, falling trees, aircraft, vehicles, flood, mud slides, sinkholes, mine subsidence, faults, crevices, earthquake, land shock waves or tremors occurring before, during or after a volcanic eruption, or manmade events such as war, terrorism or vandalism.
  - h. your failure to perform routine maintenance.
  - i. your failure to minimize or prevent such loss or damage in a timely manner.
  - j. defects in, but not limited to: recreational facilities; driveways; walkways; patios, porches and stoops not structurally attached; decks and balconies which are not bolted to or cantilevered from the main structure of the Home; boundary and/or retaining walls; bulkheads; fences; landscaping, sodding, seeding, shrubs, trees and plantings; subsurface drainage systems (other than footer drains); lawn sprinkler systems; off-site improvements, including streets, sidewalks, adjacent property and the like; or any other improvements not part of the Home itself.
  - k. defects in detached garages or outbuildings (except those which contain Plumbing, Electrical, Heating, Cooling or Ventilating Systems serving the Home, and then only to the extent where Defects would affect these systems). A detached garage is one which is constructed on its own foundation, separate and apart from the foundation of the Home. A breezeway, fence, utility line or similar union shall not cause a garage or outbuilding to be considered attached.
  - l. negligent maintenance or operation of the





### SECTION II.



- Home and its systems by anyone other than your Builder or its agents, employees or subcontractors.
- m. any portion of a Water Supply System, private or public, including volume and pressure of water flow.
  - n. quality and potability of water.
  - o. any portion of a Sewage Disposal System, private or public, including design.
  - p. dampness, condensation or heat build-up caused by your failure to maintain proper ventilation.
3. Failure of your Builder to complete construction of the Home or any part of the Home on or before the Effective Date Of Warranty or damages arising from such failure. An incomplete item is not considered a Defect, although your Builder may be obligated to complete such items under separate agreements between you and your Builder.
  4. Any deficiency which does not result in actual physical damage or loss to the Home.
  5. Any Consequential Damages.
  6. Personal property damage or bodily injury.
  7. Violation of applicable Building Codes or ordinances unless such violation results in a Defect which is otherwise covered under this Limited Warranty. Under such circumstances, the obligation of the Warrantor under this Limited Warranty shall only be to repair the defective warranted portion of the Home, but not to restore or bring the Home to conform to code.
  8. Any request for warranty performance submitted to the Administrator after an unreasonable delay or later than thirty (30) days after the expiration of the applicable warranty period.
  9. Warranted Defects that you repair without prior written authorization of the Administrator.
  10. Any damage to or resulting from the use, construction, placement, equipment, components, maintenance, etc., whether inside or outside the **Home**, of the following: swimming pools, elevators, or solar panels.
  11. The removal and/or replacement of items specifically excluded from coverage under this Limited Warranty, such as landscaping or personal property, and items not originally installed by your Builder, such as wallpaper, where removal and replacement are required to execute a repair.
  12. Any Defect consisting of, caused by, contributed to, or aggravated by moisture, wet or dry rot, mold, mildew, fungus or rust, regardless of the originating cause of any moisture or water penetration that leads to the Defect.
  13. Sound transmission and sound proofing between rooms or floor levels.
  14. Appliances and Equipment included in the Home are not warranted under this Limited Warranty, but may be covered by separate warranties provided by the manufacturer or supplier. These warranties are passed on to you by your Builder at closing and are separate from this Limited Warranty. Damage caused by improper maintenance or operation, negligence, or improper service of these items by you or your agent will not be covered under this Limited Warranty.
  15. Modifications or additions to the Home, or property under or around the Home, made after the Effective Date of Warranty (other than changes made in order to meet the obligations of this Limited Warranty).

### F. Limitation of Liability

1. The Warrantor's liability and obligations are limited to the repair, replacement or the payment of the reasonable cost of repair or replacement of warranted items not to exceed an aggregate equal to the Final Sales Price of the Home as listed on the Application For Warranty form or in the absence of an Application For Warranty form, as otherwise provided to the Administrator by the Builder. The choice to repair, replace or make payment is the Warrantor's.
2. All other warranties, express or implied, including, but not limited to, all implied warranties of fitness, merchantability or habitability, are disclaimed and excluded to the extent allowed by law.



## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.

### A. YEAR 1 STANDARDS ONLY

#### 1. FOUNDATIONS

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>BASEMENT</b>		
1.1 Cracks appear in control joints.	No action required.	The expansion/contraction joint is placed to control cracking. This is not a deficiency.
1.2 Uneven concrete floors in finished areas of a basement.	Builder will correct those areas in which Defect exceeds 3/8 in. within a 32 in. measurement.	In rooms not initially finished as living areas or where a floor or a portion of a floor surface has been designed for specific drainage purposes, a slope which exceeds 3/8 in. within a 32 in. measurement is not a deficiency.
1.3 Cracks in poured concrete foundation walls.	Builder will correct any crack which exceeds 1/4 in. in width.	Shrinkage cracks are common and should be expected. Surface patching and epoxy injections are examples of acceptable repair methods.
1.4 Cracks in block or veneer wall.	Builder will correct cracks which exceed 1/4 in. in width.	Some cracks are common through masonry and mortar joints. Cracks 1/4 in. or less are considered routine Owner maintenance.
1.5 Leaks resulting in actual flow or trickling of water through wall or floor, causing an accumulation.	Builder will correct.	A one-time occurrence may not indicate a Defect. Owner must maintain proper grading around the Home and maintain any surface water control systems installed by Builder. Dampness and condensation are normal conditions and are not covered by this Limited Warranty.
1.6 Disintegration of the concrete floor surface.	Builder will correct disintegrated surfaces caused by improper placement of concrete.	Disintegration caused by erosion due to salt, chemicals, implements used and other factors beyond Builder's control is not a warranted deficiency.
1.7 Cracks in concrete floor which rupture or significantly impair performance of floor covering.	Builder will correct so Defect is not readily noticeable when floor covering is in place.	Minor impressions in floor covering are not considered significant imperfections.
1.8 Cracks in concrete floor of unfinished area (no floor covering) or in areas not designed for living.	Builder will correct cracks which exceed 1/4 in. in width or vertical displacement.	Surface patching and epoxy injections are examples of acceptable repair methods. Shrinkage cracks are common and should be expected.
1.9 Condensation on walls, joists, support columns and other components of basement area.	No action required.	Maintaining adequate ventilation and moisture control is considered Owner maintenance.

### SECTION III.

## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.



### SECTION III.

## 1. FOUNDATIONS

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>CRAWL SPACE</b>		
<b>1.10</b> Cracks in poured concrete foundation walls.	Builder will correct any crack which exceeds 1/4 in. in width.	Surface patching and epoxy injections are examples of acceptable repair methods. Shrinkage cracks of 1/4 in. or less are common and should be expected.
<b>1.11</b> Cracks in block or veneer wall.	Builder will correct cracks greater than 1/4 in. in width.	Surface patching and epoxy injections are examples of acceptable repair methods. Shrinkage cracks of 1/4 in. or less are common and should be expected.
<b>1.12</b> Inadequate ventilation.	Builder will install properly sized louvers or vents.	Maintaining adequate ventilation and moisture control, including seasonal adjustment of vent openings, is considered Owner maintenance.
<b>1.13</b> Condensation on walls, joists, support columns and other components of the crawl space area.	No action required.	Maintaining adequate ventilation and moisture control, including seasonal adjustment of vent openings, is considered Owner maintenance.
<b>SLAB ON GRADE</b>		
<b>1.14</b> Cracks appear at control joints.	No action required.	Expansion/contraction joint is placed to control cracking. This is not a deficiency.
<b>1.15</b> Uneven concrete floors in finished areas.	Builder will correct areas in which Defect exceeds 3/8 in. within a 32 in. measurement.	In rooms not initially finished as living areas or where a floor or a portion of a floor surface has been designed for specific drainage purposes, a slope which exceeds 3/8 in. within a 32 in. measurement is acceptable.
<b>1.16</b> Disintegration of concrete floor surface.	Builder will correct disintegrated surfaces caused by improper placement of concrete.	Disintegration caused by erosion due to salt, chemicals, implements used and other factors beyond Builder's control is not a warranted deficiency.
<b>1.17</b> Crack in concrete floor which ruptures or significantly impairs performance of floor covering.	Builder will correct so Defect is not readily noticeable when floor covering is in place.	Minor impressions in floor covering are not considered significant imperfections.
<b>1.18</b> Cracks in attached garage slab.	Builder will correct cracks which exceed 1/4 in. in width or vertical displacement.	Surface patching and epoxy injections are examples of acceptable repair methods. Shrinkage cracks are common and should be expected.
<b>1.19</b> Cracks in concrete floor of unfinished area (no floor covering) or in areas not designed for living.	Builder will correct cracks which exceed 1/4 in. in width or vertical displacement.	Surface patching and epoxy injections are examples of acceptable repair methods. Shrinkage cracks are common and should be expected.
<b>1.20</b> Cracks in visible face of foundation.	Builder will correct cracks in excess of 1/4 in. in width.	Surface patching and epoxy injections are examples of acceptable repair methods. Shrinkage cracks are common and should be expected.

## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.

### 2. FRAMING

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>CEILING</b>		
2.1 Uneven ceiling.	Builder will correct if unevenness exceeds 1/4 in. within a 32 in. measurement.	Some minor framing imperfections should be expected.
<b>FLOOR</b>		
2.2 High and low areas.	Builder will correct if high or low areas exceed 1/4 in. within a 32 in. measurement.	Some minor framing imperfections should be expected.
2.3 Floor squeaks.	Builder will correct if caused by a defective joist or improperly installed subfloor. Builder will take corrective action to reduce squeaking to the extent possible within reasonable repair capability without removing floor or ceiling finishes.	A large area of floor squeaks which is noticeable, loud and objectionable is a Defect. A squeak-proof floor cannot be guaranteed. Lumber shrinkage as well as temperature and humidity changes may cause squeaks.
<b>ROOF</b>		
2.4 Split or warped rafters or trusses.	No action required.	Some splitting and warping is normal and is caused by high temperature effects on lumber.
<b>WALL</b>		
2.5 Bow or bulge.	Builder will correct if bow or bulge exceeds 1/2 in. within 32 in. horizontal or vertical measurement.	Minor framing imperfections should be expected.
2.6 Out-of-plumb.	Builder will correct where out-of-plumb condition exceeds 3/4 in. within 8 ft. vertical measurement.	Minor framing imperfections should be expected.
2.7 Wall is out-of-square.	No action required.	A wall out-of-square is not a Defect.

### SECTION III.

## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.

### 3. EXTERIOR



### SECTION III.

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>STRUCTURALLY ATTACHED WOOD OR COMPOSITE DECKS</b>		
3.1 Wood twisting, warping or splitting.	Builder will correct only if due to improper installation.	Twisting, warping or splitting of wood deck material is normal due to exposure to the elements. Owner maintenance is required.
3.2 Settlement.	Builder will correct slope of deck which exceeds a ratio of 2 in. in a 10 ft. measurement.	Some slope is often provided to allow for water drainage.
3.3 Loose railing or post.	Builder will correct if due to improper installation.	Owner maintenance is required.
<b>DOORS</b>		
3.4 Binds, sticks or does not latch.	Builder will correct if caused by faulty workmanship or materials.	Seasonal changes may cause doors to expand and contract, and are usually temporary conditions.
3.5 Wood door panel shrinks.	No action required.	Panels will shrink and expand and may expose unfinished surfaces.
3.6 Warping.	Builder will correct warping which exceeds 1/4 in., measured vertically, horizontally or diagonally.	Seasonal changes may cause doors to expand and contract, and are usually temporary conditions.
3.7 Split in panel.	Builder will correct if split allows the entrance of elements.	Splits which do not allow the entrance of elements are considered normal. Owner maintenance is required.
3.8 Separation between door and weather-stripping.	Builder will correct if daylight is visible or if entrance of elements occurs under normal conditions.	Even with properly installed weather-stripping, some movement of the door, when closed, may be expected. Owner maintenance is required for minor alterations to adjustable thresholds and other parts of the door.
3.9 Screen mesh is torn or damaged.	Builder will correct only if damage is documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list.
3.10 Overhead garage door fails to operate or allows rain or snow to leak through.	Builder will correct garage doors which do not fit or operate properly.	Some entrance of elements can be expected and is not considered a deficiency. If Owner installs a garage door opener, Builder is not responsible for operation of door.

## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.

### 3. EXTERIOR

#### SECTION III.

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>ROOFING</b>		
<b>3.11</b> Roof and roof flashing leaks.	Builder will correct active and current leaks that occur under normal conditions.	No action is required if leak is due to snow or ice buildup, high winds or driving rains. Prevention of snow or ice buildup is the Owner's responsibility. Substantiation of an active and current leak is the Owner's responsibility.
<b>3.12</b> Lifted, torn, curled, or cupped shingles.	No action required.	Owner maintenance is required. Cupping in excess of 1/2 in. should be reported to the manufacturer.
<b>3.13</b> Shingles that have blown off.	Builder will correct affected area if due to poor installation.	Shingles shall not blow off in winds less than the manufacturer's specifications.
<b>3.14</b> Inadequate ventilation.	Builder will provide adequate ventilation.	Moisture accumulation in attics which are not adequately vented is a deficiency. Owner is responsible to keep vents clear of obstructions to promote air flow.
<b>3.15</b> Water stays in gutters.	Builder will correct to limit standing water depth at 1 in.	Owner is responsible for keeping gutters and downspouts clean.
<b>3.16</b> Gutter or downspout leaks.	Builder will correct leaks at connections.	Owner is responsible for keeping gutters and downspouts clean. Gutters may overflow during heavy rains.
<b>SITE WORK</b>		
<b>3.17</b> Standing water within 10 ft. of the foundation.	Builder will correct water which stands for more than 24 hours, or more than 48 hours in swales.	Standing water beyond the 10 ft. perimeter of the foundation is not covered by this Limited Warranty. Owner is responsible for establishing and maintaining adequate ground cover.
<b>3.18</b> Settling of ground around foundation walls, utility trenches or other filled areas on property where there has been excavation and backfill which affected foundation drainage.	If final grading was performed by Builder, he will replace fill in excessively settled areas only once.	If settlement does not exceed 6 in., it is Owner's responsibility to fill affected areas. The party responsible for establishing the final grade shall provide for positive drainage away from foundation. Owner is responsible for establishing and maintaining adequate ground cover.
<b>STRUCTURALLY ATTACHED STOOP, PORCH &amp; PATIO</b>		
<b>3.19</b> Settlement, heaving or movement.	Builder will correct if movement exceeds 1 in. from the Home for stoops, porches and patios which are structurally attached.	Stoops, porches and patios which are poured separately and simply abut the house are not covered by this Limited Warranty.
<b>3.20</b> Concrete splatters on adjacent surfaces.	Builder will correct only if damage is documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list.

## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.



### SECTION III.

## 3. EXTERIOR

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>WALL COVERING</b>		
<p><b>3.21</b> Entrance of elements through separations of wood, hardboard or fiber cement siding or trim joints, or separation between trim and surfaces of masonry or siding.</p>	<p>Builder will correct entrance of elements or separations exceeding 3/8 in. by caulking or other methods.</p>	<p>Any separations 3/8 in. or less are considered routine Owner maintenance.</p>
<p><b>3.22</b> Cracks in stucco or similar synthetic based finishes.</p>	<p>Builder will correct cracks which exceed 1/8 in. in width.</p>	<p>Caulking and touch-up painting are examples of acceptable repair methods. Builder is not responsible for exact color, texture or finish matches. Hairline cracks are common.</p>
<p><b>3.23</b> Siding materials become detached from the Home.</p>	<p>Builder will correct affected area if due to improper workmanship or materials.</p>	<p>Separated, loose or delaminated siding can be due to improper maintenance and is not considered a Defect.</p>
<p><b>3.24</b> Aluminum or vinyl siding is bowed or wavy.</p>	<p>Builder is responsible only if installed improperly and waves or bowing exceed 1/2 in. within a 32 in. measurement.</p>	<p>Check your manufacturer's warranty on this product for coverage regarding dents, holes, wind specifications, etc.</p>
<p><b>3.25</b> Paint or stain peels or deteriorates.</p>	<p>Builder will correct. If 75% of a particular wall is affected, entire wall will be corrected.</p>	<p>Some fading is normal due to weathering. Mildew and fungus on exterior surfaces are caused by climatic conditions and are considered routine maintenance. Varnish or lacquer deteriorates quickly and is not covered by this Limited Warranty.</p>
<p><b>3.26</b> Paint splatters and smears on other surfaces.</p>	<p>Builder will correct only if damage is documented prior to occupancy.</p>	<p>Owner is responsible for establishing a pre-closing walk-through inspection list.</p>
<p><b>3.27</b> Faulty application of paint on wall and trim surfaces.</p>	<p>Builder will correct affected area. If greater than 75% of wall or trim piece is affected, entire surface will be corrected.</p>	<p>Some minor imperfections such as over-spray, brushmarks, etc., are common and should be expected.</p>
<p><b>3.28</b> Knot holes bleed through paint or stain.</p>	<p>Builder will correct affected areas where excessive bleeding of knots appear.</p>	<p>Knot holes will be apparent depending on the quality of material used.</p>
<p><b>3.29</b> Vent or louver leaks.</p>	<p>Builder will correct if caused by improper installation.</p>	<p>Properly installed louvers or vents may at times allow rain or snow to enter under strong wind conditions and is not a deficiency.</p>
<p><b>3.30</b> Cracks in masonry, veneer, stone, etc.</p>	<p>Builder will correct cracks which exceed 1/4 in. in width.</p>	<p>Some cracks are common through masonry and mortar joints. Cracks 1/4 in. or less are considered routine Owner maintenance.</p>

## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.

### 3. EXTERIOR

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>WINDOWS</b>		
<b>3.31</b> Condensation or frost on interior window surface.	No action required.	Condensation is relative to the quality and type of windows. Temperature differences in high levels of humidity along with individual living habits will cause condensation.
<b>3.32</b> Clouding or condensation between panes of glass.	Builder will correct only if damage is documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list.
<b>3.33</b> Glass breakage.	Builder will correct only if damage is documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list.
<b>3.34</b> Excessive drafts and leaks.	Builder will correct poorly fitted windows.	Relative to the quality and type of windows, drafts are sometimes noticeable around windows, especially during high winds. It may be necessary for the Owner to have storm windows installed to provide a satisfactory solution in high wind areas. All caulking materials expand and contract due to temperature variation and dissimilar materials. Maintenance of weather-stripping is Owner's responsibility.
<b>3.35</b> Difficult to open, close or lock.	Builder will correct.	Windows should open, close and lock with reasonable pressure.

### 4. INTERIOR

<b>DOORS</b>		
<b>4.1</b> Latch is loose or rattles.	No action required.	Some minor movement should be expected.
<b>4.2</b> Binds, sticks or does not latch.	Builder will correct if due to faulty workmanship and materials.	Seasonal changes may cause doors to expand and contract, and are usually temporary conditions.
<b>4.3</b> Warping.	Builder will correct warping which exceeds 1/4 in., measured vertically, horizontally or diagonally.	Seasonal changes may cause doors to expand and contract, and are usually temporary conditions.
<b>4.4</b> Excessive opening at bottom.	Builder will correct gaps in excess of 1-1/2 in. between bottom of passage door and finished floor or 2 in. between bottom of closet door and finished floor.	Gaps under doors are intended for air flow.
<b>4.5</b> Rubs on carpet.	Builder will correct.	Builder is not responsible if Owner installs carpet.

## SECTION III.



## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.



### SECTION III.



## 4. INTERIOR

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>WALLS, CEILINGS, SURFACES, FINISHES &amp; TRIMS</b>		
4.6 Cracks and separations in drywall, lath or plaster; nail pops.	Builder will correct cracks in excess of 1/8 in. in width. Builder will correct nail pops which have broken finished surface. Repair cracks and/or nail pops and touch up paint to match as close as possible, one time only. Such conditions should be reported near the end of Year 1 of the warranty period to allow for normal movement of the Home.	Minor seam separations and cracks, and other slight imperfections, are common and should be expected. Minor depressions and slight mounds at nail heads are not Defects.
4.7 Peeling of wallpaper.	Builder will correct if not due to Owner neglect or abuses.	Builder is not responsible for wallpaper installed by Purchaser. Owner is responsible for maintaining adequate ventilation in areas of high humidity, such as kitchens and bathrooms.
4.8 Separated seams in wallpaper.	Builder will correct if wall surface is readily visible.	Minor imperfections can be expected.
4.9 Lumps, ridges and nail pops in wallboard which appear after Owner has wall covering installed by himself or others.	No action required.	Owner should insure that surface to be covered is suitable for installation of wall covering.
4.10 Surface deficiencies in finished woodwork.	Builder will correct readily apparent splits, cracks, hammer marks and exposed nail heads, only if documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list.
4.11 Gaps between trim and adjacent surfaces, and gaps at trim joints.	Builder will correct gaps in excess of 1/8 in. at trim joints and 1/4 in. between trim and adjacent surfaces.	Some separation due to lumber shrinkage is normal and should be expected.
4.12 Cracks in ceramic grout joints.	Builder will correct cracks in excess of 1/8 in. one time only.	Cracking of grout joints is common and is considered routine Owner maintenance unless excessive.
4.13 Ceramic tile cracks or becomes loose.	Builder will correct only if documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list.
4.14 Cracking or deterioration of caulking.	No action required.	All interior caulking shrinks and deteriorates. Owner maintenance is required.

## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.



### SECTION III.

## 4. INTERIOR

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>WALLS, CEILINGS, SURFACES, FINISHES &amp; TRIMS</b>		
4.15 Wall or trim surfaces visible through paint.	Builder will correct affected area. If greater than 75% of wall, trim piece, or ceiling is affected, entire surface will be corrected. The surface being painted shall not show through new paint when viewed from a distance of 6 feet under normal lighting conditions.	Some minor imperfections such as overspray, brushmarks, etc., are common and should be expected.
<b>FLOOR COVERING</b>		
4.16 Resilient flooring comes loose at edge.	Builder will correct.	Owner maintenance is required.
4.17 Gaps at seams of resilient flooring.	Builder will correct gaps of similar materials in excess of 1/8 in., and 3/16 in. where dissimilar materials abut.	Minor gaps should be expected.
4.18 Fastener pops through resilient flooring.	Builder will correct affected area where fastener has broken through floor covering.	Sharp objects such as high heels, table and chair legs, can cause similar problems, and are not covered by this Limited Warranty.
4.19 Depressions or ridges in resilient flooring at seams of sub-flooring.	Builder will correct depressions or ridges which exceed 1/8 in. in height or depth.	This is determined by placing a 6 in. straight edge over ridge or depression, with 3 in. on either side, and measuring height or depth at sub-flooring seam.
4.20 Cuts and gouges in any floor covering.	Builder will correct only if documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list.
4.21 Hollow sounding marble or tile.	No action required.	Hollow sounding marble or tile is not a deficiency of construction and is not covered under this warranty.
4.22 Fades, stains or discolors.	Builder will correct stains or spots only if documented prior to occupancy.	Fading is not a deficiency. Owner is responsible for establishing a pre-closing walk-through inspection list.
4.23 Premature wearing of carpet.	No action required.	Excessive wear in high-traffic areas such as entryways and hallways is normal. Wearability is directly related to quality of carpet.
4.24 Visible gaps at carpet seams.	Builder will correct gaps.	Seams will be apparent. Owner maintenance is required.
4.25 Carpet becomes loose or buckles.	Builder will correct one time only.	Some stretching is normal. Owner should exercise care in moving furniture.

## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.

### 5. MECHANICAL

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>ELECTRICAL</b>		
5.1 Circuit breakers trip excessively.	Builder will correct if tripping occurs under normal usage.	Ground Fault Circuit Interrupters (GFCI) are intended to trip as a safety factor. Tripping that occurs under abnormal use is not covered by this Limited Warranty.
5.2 Outlets, switches or fixtures malfunction.	Builder will correct if caused by defective workmanship or materials.	Owner should exercise routine care and maintenance. Replacement of light bulbs is Owner's responsibility.
<b>HEATING &amp; COOLING</b>		
5.3 Condensation lines clog under normal use.	No action required.	Condensation lines will clog under normal conditions. Continued operation of drain line requires Owner maintenance.
5.4 Noisy ductwork.	Builder will correct oil canning noise if caused by improper installation.	When metal heats and cools, ticking and cracking may occur and are not covered by this Limited Warranty.
5.5 Insufficient heating.	Builder will correct if Heating System cannot maintain a 70 degree Fahrenheit temperature, under normal operating and weather conditions. Temperature shall be measured at a point 5 ft. above center of floor in affected area. All rooms may vary in temperature by as much as 4 degrees.	Orientation of the Home, location of rooms and location of vents will also provide a temperature differential. There may be periods when outdoor temperature falls below design temperature thereby lowering temperature in the Home. Certain aspects of the Home including, but not limited to, expansive stairways, open foyers, sunrooms or cathedral ceilings may cause abnormal variation from these Standards and are not covered by this Limited Warranty.
5.6 Insufficient cooling.	Builder will correct if Cooling System cannot maintain a 78 degree Fahrenheit temperature, under normal operating and weather conditions. Temperature shall be measured at a point 5 ft. above center of the floor in the affected room. On excessively hot days, where outside temperature exceeds 95 degrees Fahrenheit, a difference of 17 degrees from outside temperature will be difficult to maintain. All rooms may vary in temperature by as much as 4 degrees.	Orientation of the Home, location of rooms and location of vents will also provide a temperature differential. There may be periods when outdoor temperature rises above design temperature thereby raising temperature in the Home. Certain aspects of the Home including, but not limited to, expansive stairways, open foyers, sunrooms or cathedral ceilings may cause abnormal variation from these Standards and are not covered by this Limited Warranty.
5.7 Refrigerant line leaks.	Builder will correct.	Owner maintenance is required on the system.

### SECTION III.

## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.

### 5. MECHANICAL

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>PLUMBING</b>		
5.8 Pipe freezes and bursts.	Builder will correct if due to faulty workmanship or materials.	Proper winterization of pipes is considered routine maintenance and Owner should maintain suitable temperatures inside the Home.
5.9 Noisy water pipe.	Builder will correct hammering noise if caused by improper installation.	Some noise can be expected due to flow of water and pipe expansion. This is not a Defect.
5.10 Plumbing fixtures and trim fittings leak or malfunction.	Builder will correct if due to faulty workmanship and materials.	Owner maintenance is required. Scratches, tarnishing or marring must be noted on a pre-closing walk-through inspection list.
5.11 Damaged or defective plumbing fixtures and trim fittings.	Builder will correct only if documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list. Defective trim fittings and plumbing fixtures are covered under the manufacturer's warranty.

### 6. SPECIALTIES

<b>BATHROOM &amp; KITCHEN</b>		
6.1 Cabinet separates from wall or ceiling.	Builder will correct separation in excess of 1/4 in.	Some separation is normal. Caulking is an acceptable method of repair.
6.2 Crack in door panel.	Builder will correct only if documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list.
6.3 Warping of cabinet door or drawer front.	Builder will correct if warp exceeds 3/8 in. as measured from cabinet frame.	Seasonal changes may cause warping and may be a temporary condition.
6.4 Doors or drawers do not operate.	Builder will correct.	Owner maintenance is required.
6.5 Chips, cracks, scratches on countertop, cabinet fixture or fitting.	Builder will correct only if documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list.
6.6 Delamination of countertop or cabinet.	Builder will correct only if documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list.
6.7 Cracks or chips in fixture.	Builder will correct only if documented prior to occupancy.	Owner is responsible for establishing a pre-closing walk-through inspection list.

## SECTION III.

## WARRANTY STANDARDS • A. YEAR 1 COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.

### 6. SPECIALTIES



### SECTION III.

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>CHIMNEY &amp; FIREPLACE</b>		
6.8 Exterior and interior masonry veneer cracks.	Builder will correct cracks in excess of 1/4 in. in width.	Some cracks are common in masonry and mortar joints. Cracks 1/4 in. in width or less are considered Owner maintenance.
6.9 Firebox color is changed; accumulation of residue in chimney or flue.	No action required.	Owner maintenance is required.
6.10 Chimney separates from the Home.	Builder will correct separation in excess of 1/2 in. within 10 ft.	Newly built chimneys will often incur slight amounts of separation.
6.11 Smoke in living area.	Builder will correct if caused by improper construction or inadequate clearance.	Temporary negative draft situations can be caused by high winds; obstructions such as tree branches too close to the chimney; the geographic location of the fireplace; or its relationship to adjoining walls and roof. In some cases, it may be necessary to open a window to create an effective draft. Since negative draft conditions could be temporary, it is necessary that Owner substantiate problem to Builder by constructing a fire so the condition can be observed.
6.12 Water infiltration into firebox from flue.	No action required.	A certain amount of rainwater can be expected under certain conditions.
6.13 Firebrick or mortar joint cracks.	No action required.	Intense heat may cause cracking.
<b>INSULATION</b>		
6.14 Air infiltration around electrical receptacles.	No action required.	Air flow around electrical boxes is normal and is not a deficiency.

## WARRANTY STANDARDS

### B. YEARS 1 & 2 COVERAGE ONLY • C. TEN YEAR MSD COVERAGE ONLY

The following Warranty Standards are applicable only to warranted items stated in Section II of this Limited Warranty. Read Section II to determine if the following Warranty Standards apply.



### SECTION III.

#### B. SYSTEMS - YEARS 1 & 2

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>ELECTRICAL</b>		
<b>B.1</b> Wiring fails to carry specified load.	Builder will correct if failure is due to improper installation or materials.	Switches, outlets and fixtures are applicable to <b>Year 1 Coverage Only</b> .
<b>HEATING AND COOLING</b>		
<b>B.2</b> Ductwork separates.	Builder will correct.	Owner maintenance is required.
<b>PLUMBING</b>		
<b>B.3</b> Pipe leaks.	Builder will correct.	Condensation on pipes does not constitute leakage. Faulty faucets, valves, joints and fittings are applicable to <b>Year 1 Coverage Only</b> .
<b>B.4</b> Water supply stops.	Builder will correct if due to faulty workmanship or materials inside the Home.	Drought or causes other than faulty workmanship and materials will not be covered under this Limited Warranty.
<b>B.5</b> Clogged drain or sewer.	Builder will correct clog within structure caused by faulty workmanship or materials.	Clogs and stoppages beyond the exterior wall are not covered by this Limited Warranty. Routine Owner maintenance and proper use is required.

#### C. TEN YEAR MSD COVERAGE

OBSERVATION	ACTION REQUIRED	COMMENTS
<b>MAJOR STRUCTURAL DEFECTS</b>		
<b>C.1.</b> Major Structural Defects.	The criteria for establishing the existence of a Major Structural Defect is set forth in Section I.B.15 of this Limited Warranty Agreement.	The Warrantor will correct Major Structural Defects, limited to such actions as are necessary to restore the load-bearing capability of the component(s) affected by a Major Structural Defect.

## REQUESTING WARRANTY PERFORMANCE

### A. Notice to Warrantor in Years 1 & 2

1. If a Defect occurs in Years 1 and 2, you must notify your Builder in writing. Your request for warranty performance should clearly describe the Defect(s) in reasonable detail.
2. Request for warranty performance to your Builder does not constitute notice to the Administrator, and it will not extend applicable coverage periods.
3. If a request for warranty performance to your Builder does not result in satisfactory action within a reasonable time, written notice must be given to HOME of Texas, Administrator, at [warranty.resolution@homeoftexas.com](mailto:warranty.resolution@homeoftexas.com) or forwarded by certified mail, return receipt requested to 5300 Derry Street, Harrisburg, Pennsylvania 17111, Attn: Warranty Resolution Department. This notice should describe each item in reasonable detail.
4. *Please note that a written request for warranty performance must be emailed no later than thirty (30) days after the expiration of the applicable warranty period or sent to HOME by certified mail, return receipt requested and postmarked no later than thirty (30) days after the expiration of the applicable warranty period. For example, if the item is one which is warranted by your Builder during your second year of coverage, a request for warranty performance must be emailed or mailed to HOME and postmarked no later than thirty (30) days after the end of the second year to be valid.*



5. You must provide the Warrantor with reasonable weekday access during normal business hours in order to perform its obligations. Failure by you to provide such access to the Warrantor may relieve the Warrantor of its obligations under this Limited Warranty.
6. If your Builder does not fulfill its obligations under this Limited Warranty, the Administrator will process the request for warranty performance as described in this Limited Warranty and subject to the provisions of IV.F.

### B. Notice to Warrantor in Years 3 – 10

If a Defect related to a warranted MSD occurs in Years 3 through 10 of this Limited Warranty, you must notify the Administrator to review the item within a reasonable time after the situation arises. All such notices must be presented in writing to HOME, Administrator, at [warranty.resolution@homeoftexas.com](mailto:warranty.resolution@homeoftexas.com) or forwarded by certified mail, return receipt requested to HOME, Administrator, 5300 Derry Street, Harrisburg, Pennsylvania 17111, Attn: Warranty Resolution Department. Any such notice should describe the condition of the MSD in reasonable detail. Requests for warranty performance emailed or postmarked more than thirty (30) days after the expiration of the term of this Limited Warranty will not be honored.

### C. Purchaser's Obligations

1. **Your notice to the Administrator must contain the following information:**
  - a. Validation # and Effective Date Of Warranty;
  - b. Your Builder's name and address;
  - c. Your name, address, email address, and phone number (including home, cell and work numbers);
  - d. Reasonably specific description of the warranty item(s) to be reviewed;
  - e. A copy of any written notice to your Builder;
  - f. Photograph(s) may be required; and
  - g. A copy of each and every report you have obtained from any inspector or engineer.
2. You have an obligation to cooperate with the Administrator's mediation, inspection and investigation of your warranty request. From time to time, the Administrator may request information from you regarding an alleged Defect. Failure by you or your appointed representative to respond with the requested information within thirty (30) days of the date of the Administrator's request can result in the closing of your warranty file.

## SECTION IV.

## REQUESTING WARRANTY PERFORMANCE

### SECTION IV.

#### D. Mediation and Inspection

Within thirty (30) days following the Administrator's receipt of proper notice of a request for warranty performance, the Administrator may review and mediate your request by communicating with you, your Builder and any other individuals or entities who the Administrator believes possess relevant information. If, after thirty (30) days, the Administrator has not been able to successfully mediate your request, or at any earlier time when the Administrator believes that your Builder and you are at an impasse, then the Administrator will notify you that your request has become an Unresolved Warranty Issue. At any time following the receipt of proper notice of your request for warranty performance, the Administrator may schedule an inspection of the item. You must provide the Administrator reasonable access for any such inspection as discussed in **Section IV.A.5**. The Administrator, at its discretion, may schedule a subsequent inspection to determine Builder compliance.

**When a request for warranty performance is filed and the deficiency cannot be observed under normal conditions, it is your responsibility to substantiate that the need for warranty performance exists including any cost involved. If properly substantiated, you will be reimbursed by the Warrantor.**



#### E. Arbitration

**You begin the arbitration process by giving the Administrator written notice of your request for arbitration of an Unresolved Warranty Issue.** The written notice of your request for arbitration must be received by the Administrator no later than thirty (30) days following the expiration of the ten year warranty period. However, if you receive notification of an Unresolved Warranty Issue from the Administrator following the expiration of the ten year warranty period, then this period is extended and written notice of your request for arbitration must be received by the Administrator no later than thirty (30) days from the date of your receipt of notification of the Unresolved Warranty Issue. Within twenty (20) days after the

Administrator's receipt of your notice of request for arbitration, any Unresolved Warranty Issue that you have with the Warrantor shall be submitted to an independent arbitration service experienced in arbitrating residential construction matters upon which you and the Administrator agree. This **binding** arbitration is governed by the procedures of the Federal Arbitration Act, 9 U.S.C. 1 *et. seq.* If you submit a request for arbitration, you must pay the arbitration fees before the matter is submitted to the arbitration service. After arbitration, the Arbitrator shall have the power to award the cost of this fee to any party or to split it among the parties to the arbitration. The arbitration shall be conducted in accordance with this Limited Warranty and the arbitration rules and regulations to the extent that they are not in conflict with the Federal Arbitration Act.

Within one (1) year after an arbitration award, either party may apply to the U.S. District Court where the Home is situated to confirm the award. The Administrator's receipt of a written request for arbitration in appropriate form shall stop the running of any statute of limitations applicable to the matter to be arbitrated until the Arbitrator renders a decision. The decision of the Arbitrator shall be final and binding upon all parties.

Since this Limited Warranty provides for mandatory binding arbitration of Unresolved Warranty Issues, if any party commences litigation in violation of this Limited Warranty, such party shall reimburse the other parties to the litigation for their costs and expenses, including attorney fees, incurred in seeking dismissal of such litigation.

In Years 1 & 2, the Builder shall have sixty (60) days from the date the Administrator sends the Arbitrator's award to the Builder to comply with the Arbitrator's decision. In Years 3-10, the Warrantor shall have sixty (60) days from the date the Administrator receives the Arbitrator's award to comply with the Arbitrator's decision. Warranty compliance will begin as soon as possible and will be completed within the sixty-day compliance period with the exception of any repair that would reasonably take more than sixty (60) days to complete, including, but not limited to, repair delayed or prolonged by inclement weather. The Warrantor will complete such repair or replacement as soon as possible without incurring overtime or weekend expenses.

You may request a compliance arbitration within twenty (20) days after the sixty-day compliance period has expired by giving the Administrator written notice of your request. You must pay the fees for the compliance arbitration prior to the matter being submitted to the arbitration service.



## REQUESTING WARRANTY PERFORMANCE

### F. Conditions of Warranty Performance

1. You must provide the Warrantor and/or Administrator with reasonable weekday access during normal business hours to inspect the condition of your Home and/or to perform their obligations.
2. When your request for warranty performance is determined to be a warranted issue, the Warrantor reserves the right to repair or replace the warranted item, or to pay you the reasonable cost of repair or replacement.
3. In Years 1 and 2, if your Builder defaults in its warranty obligations, the Administrator will process the request for warranty performance provided you pay a warranty service fee of \$250 for each request prior to repair or replacement.
4. In Years 3 through 10 you must pay the Administrator a warranty service fee of \$500 for each request.
5. If the Administrator elects to award you cash rather than repair or replace a warranted item, the warranty service fee will be subtracted from the cash payment.
6. If the Warrantor pays the reasonable cost of repairing a warranted item, the payment shall be made to you and to any mortgagee or mortgagee's successor as each of your interests may appear; provided that the mortgagee has notified the Administrator in writing of its security interest in the Home prior to such payment. Warrantor shall not have any obligation to make payment jointly to the Purchaser and mortgagee where the mortgagee has not notified your Builder or the Administrator in writing of its security interest in the Home prior to such payment. Any mortgagee shall be completely bound by any mediation or arbitration relating to a request for warranty performance between you and the Warrantor.
7. Prior to payment for the reasonable cost of repair or replacement of warranted items, you must sign and deliver to the Builder or the Administrator, as applicable, a full and unconditional release, in recordable form, of all legal obligations with respect to the warranted Defects and any conditions arising from the warranted items.
8. Upon completion of repair or replacement of a warranted Defect, you must sign and deliver to the Builder or the Administrator, as applicable, a full and unconditional release, in recordable form, of all legal obligations with respect to the Defect and any conditions arising from the situation. The repaired or replaced warranted item will continue to be warranted by this Limited Warranty for the remainder of the applicable period of coverage.
9. If the Warrantor repairs, replaces or pays you the reasonable cost to repair or replace a warranted item, the Warrantor shall be subrogated to all your rights of recovery against any person or entity. You must execute and deliver any and all instruments and papers and take any and all other actions necessary to secure such rights, including, but not limited to, assignment of proceeds of any insurance or other warranties to the Warrantor. You shall do nothing to prejudice these rights of subrogation.
10. Any Warrantor obligation is conditioned upon your proper maintenance of the Home and grounds to prevent damage due to neglect, abnormal use or improper maintenance.



## SECTION IV.

## ACTIVE SOIL GUIDELINES



### SECTION V.

#### A. Introduction

1. Many areas have soils which are referred to as expansive or active. This type of soil generally contains clay minerals which expand and contract depending on their moisture content. Areas with extended dry or wet periods require special homeowner maintenance and precautions. Improper homeowner maintenance can adversely affect the performance and structural integrity of the foundation constructed on active soils and may void the Limited Warranty on your Home.

To minimize damage caused by shrinking and swelling of expansive soils, you should:

- a. maintain an even moisture content in the soil around the foundation;
  - b. maintain the grading about the foundation;
  - c. maintain the landscaping.
2. **This section lists Homeowner maintenance requirements for Homes constructed on active soils. Your failure to properly maintain your lot can void the Limited Warranty on your Home.**

#### B. Maintenance

##### 1. Trees and Shrubbery

- a. Trees and shrubbery may absorb large amounts of water daily, reducing the moisture in the soil and causing shrinkage. Soil shrinkage near the foundation causes settlement in that area. Soil in areas around trees and shrubbery must be adequately watered to prevent settlement and shrinkage. In extreme drought, areas around trees and shrubbery will need more water.
- b. Trees especially can damage the structural integrity of the foundation. Root systems of trees can penetrate the foundation, reduce moisture and cause additional damage to the foundation. Precautionary measures may be needed to prevent trees from adversely affecting the foundation. Homeowner maintenance may include the placement of root shields which reduce the absorption of moisture from the soil between the shield and the foundation.
- c. Prior to planting trees and shrubbery, and if existing tree branches extend over your roof or the root system extends into the foundation, you should contact your Builder or those who are experienced in planting trees and shrubbery to discuss proper maintenance options, including the costs involved. Your county Agricultural Extension Office will be able to suggest appropriate plant life and proper

maintenance procedures. Limited Warranty Coverage is conditioned upon proper Homeowner Maintenance.

##### 2. Final Grade

- a. When a Final Grade Certificate is obtained, you should receive a copy from your Builder confirming that the grading (the slope of the ground) around the foundation has been established to cause water to flow away from the Home. It is your responsibility to maintain the grades. Make sure water does not collect or become trapped in localized areas near the foundation. These conditions can cause changes in moisture content that can damage the foundation.
- b. Builders often direct surface water to disposal areas (such as streets, storm sewers, etc.) by way of drainage channels called swales. Swales must be maintained and not left to erode or fill.
- c. Fences installed over drainage swales must be kept off the ground so water can drain properly. Obstructions in the drainage swale can interrupt proper drainage of water from the lot.

##### 3. Landscaping and Yard Maintenance

- a. Maintaining adequate ground cover such as grass is essential to maintaining uniform moisture content in the soil. The presence of ground cover minimizes evaporation of moisture. When watering grass, shrubbery and other plantings, you should use a systematic, uniform manner of watering so soil on all sides of the foundation is kept moist, NOT SATURATED. Just as too little moisture causes soil shrinkage, too much moisture causes swelling. Both conditions can damage a foundation. Areas of soil that do not have ground cover may require additional watering as they are more susceptible to evaporation, causing an imbalance in soil moisture.
- b. Position sprinkler heads so water is directed away from the foundation. Shrubs planted close to the foundation may have to be watered by hand.
- c. When landscaping, be sure that flower beds do not trap water next to the foundation. Planters and curbs often hold water, causing increased moisture in localized areas. This can cause damage to the foundation. If curbs and planters are installed, drainage holes must be provided to maintain balanced soil moisture around the foundation.

### 4. Gutters and Downspouts

If the Home is equipped with a roof drainage system such as gutters and downspouts, water discharged from the downspouts should be directed to flow a minimum of 5 ft. away from the foundation. When downspout extensions are removed for mowing or other maintenance, they must be returned for proper surface drainage. Rainwater should not be rerouted to flower beds or other areas near the foundation. This can cause localized saturation and uneven moisture which may damage the foundation. Such negligence can void the Limited Warranty on your Home. Placement of gutters and downspouts is a homeowner responsibility if not installed by the Builder.



### 5. General Information

- a. When very hot and dry conditions exist and soil begins to pull away from the foundation, you should act immediately to correct the situation. If you will be away from Home during these conditions, you should plan to have someone maintain your lot.
- b. Uneven moisture content of the soil surrounding the foundation can cause movement in the foundation. If moisture content in one area is substantially different from another, differential movement can occur which can cause the foundation to bend. Although this may not damage the foundation, it may cause signs of distress such as wall and ceiling cracks, tape separations, doors which swing open or closed on their own, window frames out-of-square, and cracks in brick veneer and mortar joints. You should check the soil conditions around the foundation and correct any problems. Homeowner maintenance is a prerequisite to the Limited Warranty on your Home.



HOME OF TEXAS